

(immune network model)
 (negative selection algorithm)
 (computer security)
 (anomaly detection in time

[11].

series data)
 (fault diagnosis)
 (pattern recognition)

3.

2.3

“ 0” “ 1”
 “ 0” “ 1”

가 가
 DNA DNA DNA

[5]. DNA

2 7×7 DNA

, DNA 가가
 [6]. DNA
 (peptide) (antibody)
 (peptide computing) 가

a	t	c	c	c	t	t	a	t	t	c	t	t	t
t	c	g	g	g	c	t	t	t	c	c	t	t	t
t	c	g	g	g	c	t	t	t	t	c	t	t	t
t	c	g	g	g	c	t	t	t	t	c	t	t	t
t	c	g	g	g	c	t	t	t	t	c	t	t	t
t	c	g	g	g	c	t	t	t	t	c	t	t	t
t	t	c	c	c	t	t	t	t	t	c	t	t	t

[7], [8].

(immunocomputing)
 (pattern recognition)
 (biochip)

[9].
 가

[10].

[1.] “ 0” “ 1” 2 DNA

1	2	3	4	5	6	7	1	2	3	4	5	6	7
8	9	10	11	12	13	14	8	9	10	11	12	13	14
15	16	17	18	19	20	21	15	16	17	18	19	20	21
22	23	24	25	26	27	28	22	23	24	25	26	27	28
29	30	31	32	33	34	35	29	30	31	32	33	34	35
36	37	38	39	40	41	42	36	37	38	39	40	41	42
43	44	45	46	47	48	49	43	44	45	46	47	48	49

“0”-DNA template sequence:
 5'- a ttc att tgg ggc ttc ggg att cgg gct tgg ggc ttc ggg att ttc att - 3'
 “0”-RNA transcript sequence:
 3' - ugu agg gaa agc ccg aag ccc gaa gcc cga agc ccg aag ccc gaa agg gaa - 5'
 “1”-DNA template sequence:
 5'- a ttc ttt ttc att ttt tot ttt ttc ttt ttt att ttt tot ttt ttc ttt - 3'
 “1”-RNA transcript sequence:
 3' - ugu aag aaa aag gaa aaa aga aaa aag aaa aaa gaa aaa aga aaa aag aaa - 5'

DNA
 (molecular immunocomputing)

가 가
 (nucleotide)가 DNA
 RNA

20 가
 가
 , 2X10¹⁰
 가
 DNA 가 [11].

KLH(keyhole limpet hemacyanin) BSA(bovine serum albumin)
 (conjugation) (conjugated protein)
 [12].

“0”-RNA transcript sequence:
 5' - aag gga aag ccc gaa gcc cga agc ccg aag ccc gaa gcc cga aag gga ugu - 3'
 “0”-peptide sequence:
 NH₂ - K G K P E A R S P K P E A R K G C* - COOH
 “1”-RNA transcript sequence:
 5' - aaa gaa aaa aga aaa aag aaa aaa gaa aaa aga aaa aag gaa aaa gaa ugu - 3'
 “1”-peptide sequence:
 NH₂ - K E K R K K K K E K R K K E K E C* - COOH

가 3
 가
 , ELISA(enzyme-linked immunosorbent assay)

[3.] RNA peptide (translation)
 가 “ 0” “ 1” 2 7×7 (cytosine), (thymine),
 (guanine) [1]. DNA 가
 (adenine)

(STOP codon)

2 DNA 7×7 DNA

1 RNA [2]. 1

RNA (codon table) (rule)

1 [3]. 3

(codon) DNA noise tolerant

가 . 2 1

noise-tolerent 가 , 2

(frameshift) 1 (nucleotide)

가 C- (cystein) (code)

(disulfide bond)

7×7

(adenine)

“ 1” -

“ 0”

ELISA

4.

“ 0” “ 1” , 7×7

noise-tolerent

7×7

(cystein) 17 가

(hapten) 가

15 ~ 20

[12].

2 7×7

가

가

가

10 ,

(phage display libraries)

2

[13].

가

, ABO-

(kit) (chip) , 가

[10].

(immunochip)

(biocomputer)
[10],

5.

- [1] D. L. Schacter and E. Tulving (ed.), *Memory systems 1994*. Cambridge, The MIT Press, 1994.
- [2] R. A. Goldsby, *et al.*, *Kuby immunology*, New York, W. H. Freeman and Company, 2000.
- [3] S. Forrest and S. A. Hofmeyr, Immunology as Information Processing. In L.A. Segel and I. R. Cohen (ed.), *Design Principles for Immune System & Other Distributed Autonomous Systems*, pp. 361-387, Oxford, Oxford Univ. Press, 2000.
- [4] D. Gupta (ed.), *Artificial Immune Systems and Their Application*, Berlin, Springer-Verlag., 1998.
- [5] L. M. Adleman, Molecular computation of solutions to combinatorial problems, *Science*, 266, pp. 1021-1024, 1994.
- [6] , , 29 (3), pp. 270 – 277, 2002.
- [7] H. Hug and R. Schuler, Strategies for the development of a peptide computer, *Bioinformatics* 17 (4), pp. 364-368, 2001.
- [8] M. S. Balan *et al.*, Peptide computing – *Universality and Complexity*, 7th *International Workshop on DNA-Based Computers, DNA7*, pp. 290-299, 2002.
- [9] A. O. Tarakanov and V. A. Skormin, Pattern Recognition by Immunocomputing, *Proceedings of the 2002 Congress on Evolutionary Computation*, pp. 938-943, 2002.
- [10] A. O. Tarakanov *et al.*, Immunocomputing for Bioarrays, *Proceedings of the 1st International Conferences on Artificial Immune Systems 2002*, pp. 32-40, 2002.
- [11] C. Janeway *et al.*, *Immunobiology: the immune system in health and disease*, 5th ed., 2001.
- [12] E. Harlow and D. Lane, *Antibodies: A Laboratory Manual*, New York, Cold Spring Harbor Laboratory, 1988.
- [13] R. de Bruin *et al.*, Selection of high-affinity phage antibodies from phage display libraries, *Nature Biotechnology* 17, pp. 397-399, 1999.